

Preliminary Report on Reintroduction Techniques for Northern Bobwhite Quail

A Northern Bobwhite Quail is shown in its natural habitat, standing amidst tall, green and yellow grass. The quail has a distinctive black and white striped head, a white throat, and a brown body with dark speckles.

**Ken Steigman, Ph.D.
University of North Texas
Director, Lewisville Lake Environmental
Learning Area**










Increased Predation




Avian Flu



George Meyer
© 1999 Warner Bros. Entertainment Inc.
All Rights Reserved.



**Original
population**



**Bottlenecking
event**



**Surviving
population**


HEAT STRESS



U.S. Drought Monitor

September 3, 2013

Valid 7 a.m. EDT




Intensity:

- D0 Abnormally Dry
- D1 Drought - Moderate
- D2 Drought - Severe
- D3 Drought - Extreme
- D4 Drought - Exceptional

Drought Impact Types:

- ~ Delineates dominant impacts
- S = Short-Term, typically <6 months (e.g. agriculture, grasslands)
- L = Long-Term, typically >6 months (e.g. hydrology, ecology)



Released Thursday, September 5, 2013

Author: David Miskus, NOAA/NWS/NCEP/C

<http://droughtmonitor.unl.edu/>

Quail Utopia



Habitat Management






Bison herd managed by short term intensive grazing (2003-2012)



Provide Life Requisites

























Solar Electronic Timer

Mr. Soaker Hose



MANUAL

OPEN CLOSE



SET

AUTO



-

+

WAKE UP

OK

EXIT

Battery



EXIT



















PARMAK
ELECTRONICS

Solar Pak 6
METER

- SOLAR POWERED • LOW IMPEDANCE
- WEATHERPROOF FOR OUTDOOR INSTALLATION

NO TOLL
ELECTRONIC EQUIPMENT

PARMAK ELECTRONICS, INC.
1000 S. 10TH AVE., SUITE 100
TAMPA, FL 33606
TEL: 813-288-1111
FAX: 813-288-1112



















Thanks to:

- Denton County Elm Fork Master Naturalists
- Fort Worth Audubon Society funding
- Prairie and Timbers Audubon Society funding
- Mr. Larry Brennan for photography
- Ms. Marcy Harsaran assistance with data collection